


REV	DESCRIPTION	BY CHK	DATE	ECN
\triangle	ENGINEERING RELEASE	RCB GCB	3/26/98	M19406
В	NOTE I WAS MOUNTING TYPE: OPTION F	AGJ	5-13-02	41044
	ADDED 10.2/7.6 [.40/.30]	AGJ	8-30-01	39045
	65.0/62.7 [2.56/2.47] WAS 65.3/62.7 [2.57/2.47]	AGJ	5-17-04	47918
	NOTE 2 WAS VOUTPUT SHAFTV	SKS	3-20-06	M66923
	REMOVED OUTPUT SHAFT OPTION V44V	AAK	2-01-07	55805
G	10.0/7.9[.39/.31]WASI0.2/7.6[.40/.30]	PRK SDM	7-08-09	18025



10	
UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN	DRAWING BASED ON ANSI Y14.5M-1982
INCHES X MILLIMETERS TOLERANCES .X	THE REPRODUCTION, DISTRIBUTION, AND UTILIZATION OF THIS DOCUMENT, AS WELL AS THE COMMUNICATION OF ITS CONTENTS TO OTHERS WITHOUT EXPLICIT AUTHORIZATION IS PROHIBITED. OFFENDERS WILL BE HELD LIABLE FOR THE PAYMENT OF DAMAGES. ALL RIGHTS RESERVED IN THE EVENT OF THE GRANT OF A PATENT, UTILITY MODEL, OR DESIGN. (PER ISO 16016)
. XX	DRAWN R. BERGERSON BY/DATE 3/26/98 CHECKED G. BURAU BY/DATE 3/31/98 MATERIAL/HEAT TREAT
UNSPECIFIED RADII ARE — — — —	ENGRG J. MILLAR BY/DATE 4/2/98 METALLURGY BY/DATE SHAFT INSTALLATION
UNSPECIFIED DRAFT ANGLES ARE —————	MICROINCHES NUMBER MICROINCHES NUMBER MICROINCHES
DRAWING FORMAT cadd 🛛 manual 🗌	DO NOT SCALE ARITHMETICAL AVERAGE SCALE / SHEET OF

SECTION B - B