


PART NUMBER	TH'D "P"	TH'D "T"	A REF	B REF	C REF	D REF	E REF	F REF	G MIN	H REF	WEATHERHEAD PART NUMBER
2068-4-4S	1/4-18	7/16-20	23.1 [.91]	7.1 [.28]	29.5 [1.16]	5.6 [.22]	4.3 [.17]	11/16	9.3 [.368]	9/16	9515X4X4
2068-4-6S	1/4-18	9/16-18	23.1 [.91]	7.1 [.28]	31 [1.22]	5.6 [.22]	7.6 [.30]	11/16	10.5 [.415]	11/16	9515X6X4
2068-6-4S	3/8-18	7/16-20	27.7 [1.09]	6.4 [.25]	33.8 [1.33]	8.6 [.34]	4.3 [.17]	7/8	9.3 [.368]	9/16	9515X4X6
2068-6-6S	3/8-18	9/16-18	27.7 [1.09]	6.4 [.25]	34.3 [1.35]	8.6 [.34]	7.6 [.30]	7/8	10.5 [.415]	11/16	9515X6X6
2068-6-8S	3/8-18	3/4-16	27.7 [1.09]	6.4 [.25]	37.6 [1.48]	8.6 [.34]	9.9 [.39]	7/8	12 [.472]	7/8	9515X8X6
2068-6-10S	3/8-18	7/8-14	27.7 [1.09]	6.4 [.25]	42.4 [1.67]	8.6 [.34]	12.2 [.48]	7/8	13.8 [.543]	1	9515X10X6
2068-8-6S	1/2-14	9/16-18	27.4 [1.08]	8.4 [.33]	38.4 [1.51]	11.7 [.46]	7.6 [.30]	1	10.5 [.415]	11/16	9515X6X8
2068-8-8S	1/2-14	3/4-16	27.4 [1.08]	8.4 [.33]	38.4 [1.51]	11.7 [.46]	9.9 [.39]	1	12 [.472]	7/8	9515X8X8
2068-8-10S	1/2-14	7/8-14	27.4 [1.08]	8.4 [.33]	42.4 [1.67]	11.7 [.46]	12.2 [.48]	1	13.8 [.543]	1	9515X10X8
2068-8-12S	1/2-14	1 1/16-12	30 [1.18]	8.4 [.33]	50 [1.97]	11.7 [.46]	15.5 [.61]	1	16.2 [.636]	1 1/4	9515X12X8
2068-12-8S	3/4-14	3/4-16	33 [1.30]	8.9 [.35]	41.9 [1.65]	16.3 [.64]	9.9 [.39]	1 1/4	12 [.472]	7/8	9515X8X12
2068-12-10S	3/4-14	7/8-14	33.5 [1.32]	8.9 [.35]	46 [1.81]	16.3 [.64]	12.2 [.48]	1 1/4	13.8 [.543]	1	9515X10X12
2068-12-12S	3/4-14	1 1/16-12	34.5 [1.36]	8.9 [.35]	50 [1.97]	16.3 [.64]	15.5 [.61]	1 1/4	16.2 [.636]	1 1/4	9515X12X12
2068-12-16S	3/4-14	1 5/16-12	35.8 [1.41]	8.9 [.35]	53.8 [2.12]	15.7 [.62]	21.3 [.84]	1 1/4	16.2 [.636]	1 1/2	9515X16X12
2068-16-16S	1-11 1/2	1 5/16-12	38.9 [1.53]	9.7 [.38]	53.8 [2.12]	21.1 [.83]	21.3 [.84]	1 1/2	16.2 [.636]	1 1/2	9515X16X16
2068-20-16S	1 1/4-11 1/2	1 5/16-12	46.2 [1.82]	10.4 [.41]	63.5 [2.50]	27.4 [1.08]	21.3 [.84]	1 7/8	16.2 [.636]	1 1/2	9515X16X20
2068-20-20S	1 1/4-11 1/2	1 5/8-12	46.2 [1.82]	10.4 [.41]	63.5 [2.50]	27.4 [1.08]	27.4 [1.08]	1 7/8	16.2 [.636]	1 7/8	9515X20X20



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
AR	REDRAWN & UPDATED TO EATON FORMAT & DIMENSION STYLE. 1) ADDED PART # 2068-4-4S, 2068-4-6S, 2068-6-4S, 2068-6-10S, 2068-8-6S, 2068-8-8S, 2068-12-16S, 2068-16-16S, 2068-20-16S AND 2068-20-20S	2013-09-17 PDS/VJS	0086822-ECO

2068-20-20S	206805-20-20S	210295-20S	222013-20S	22617-20	
2068-20-16S	206805-20-16S	210295-16S	222013-16S	22617-16	
2068-16-16S	206805-16-16S	210295-16S	222013-16S	22617-16	
2068-12-16S	206805-12-16S	210295-16S	222013-16S	22617-16	
2068-12-12S	206805-12-12S	210295-12S	222013-12S	22617-12	
2068-12-10S	206805-12-10S	210295-10S	222013-10S	22617-10	
2068-12-8S	206805-12-8S	210295-8S	222013-8S	22617-8	
2068-8-12S	206805-8-12S	210295-12S	222013-12S	22617-12	
2068-8-10S	206805-8-10S	210295-10S	222013-10S	22617-10	
2068-8-8S	206805-8-8S	210295-8S	222013-8S	22617-8	
2068-8-6S	206805-8-6S	210295-6S	222013-6S	22617-6	
2068-6-10S	206805-6-10S	210295-10S	222013-10S	22617-10	
2068-6-8S	206805-6-8S	210295-8S	222013-8S	22617-8	
2068-6-6S	206805-6-6S	210295-6S	222013-6S	22617-6	
2068-6-4S	206805-6-4S	210295-4S	222013-4S	22617-4	
2068-4-6S	206805-4-6S	210295-6S	222013-6S	22617-6	
2068-4-4S	206805-4-4S	210295-4S	222013-4S	22617-4	
PART NUMBER	① ADAPTER	② JAM NUT	③ WASHER	④ O'RING	

REV. AR  
SH. 1  
2068-S  
DWG.ING.

AR 1

2. WASHER CLINCHED TO FITTING WITH 0.013 [.0005] MAXIMUM CLEARANCE TO AN INTERFERENCE FIT.

1. DIMENSIONS ARE IN MILLIMETERS [INCHES].

METRIC

ITEM NO.	MATERIAL	DRAWN		INDUSTRIAL SECTOR	
1	STEEL	P. SHINDE	CHECKED	HYDRAULICS GROUP, FLUID CONVEYANCE PRODUCTS, MAUMEE, OHIO U.S.A.	
2	STEEL	V. SURYAWANSHI	APPROVED	DRAWING TITLE	
3	STEEL	Y. KULKARNI	RELEASE DATE	ADAPTER	
4	NITRILE (BUNA-N)	2013-09-17	0086822-ECO	90° FEMALE ADAPTER UNION TO ADJUSTABLE MALE STRAIGHT THREAD (SAE #140257)	
		THIRD ANGLE PROJECTION	SIZE	DRAWING NUMBER	REV
		⊕	A2	2068-S	AR
		SCALE	DIST	CAGE CODE	SHEET
		NONE	U	01276	1

EATON CORPORATION - CONFIDENTIAL AND PROPRIETARY NOTICE TO PERSONS RECEIVING THIS DOCUMENT AND/OR TECHNICAL INFORMATION THIS DOCUMENT, INCLUDING THE DRAWING AND INFORMATION CONTAINED THEREON, IS CONFIDENTIAL AND IS THE EXCLUSIVE PROPERTY OF EATON CORPORATION, AND IS NOT TO BE LOANED, REPRODUCED, COPIED, OR IN ANY MANNER DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN CONSENT OF EATON. IN THE EVENT OF ANY VIOLATION OF THESE TERMS, EATON SHALL BE ENTITLED TO TAKE SUCH ACTION AS IS NECESSARY TO PROTECT ITS RIGHTS AND INTERESTS. © 2009 Eaton Corporation - All Rights Reserved.