




| PART NUMBER | I.D. (REF) mm [in] | O.D. (MAX) mm [in.] | OPERATING PRESSURE bar [psi] | MIN. BURST PRESSURE bar [psi] | MIN. BEND RADIUS mm [in] | WEIGHT kg/m [lbs/ft] |
|-------------|-----------------------|------------------------|---------------------------------|----------------------------------|-----------------------------|-------------------------|
| 2808-8 | 10.7 [.42] | 15.4 [.61] | 190 [2750] | 758 [11000] | 117.3 [4.62] | 0.30 [.20] |
| 2808-10 | 13.0 [.51] | 17.9 [.70] | 172 [2500] | 690 [10000] | 139.7 [5.50] | 0.39 [.26] |
| 2808-12 | 16.3 [.64] | 21.3 [.84] | 121 [1750] | 483 [7000] | 165.1 [6.50] | 0.45 [.30] |
| 2808-16 | 22.4 [.88] | 28.4 [1.12] | 103 [1500] | 414 [6000] | 187.5 [7.38] | 0.65 [.44] |
| 2808-20 | 28.4 [1.12] | 34.3 [1.35] | 78 [1125] | 310 [4500] | 279.4 [11.00] | 0.85 [.57] |
| 2808-24 | 35.1 [1.38] | 41.2 [1.62] | 55 [800] | 221 [3200] | 355.6 [14.00] | 1.04 [.70] |

| REVISIONS | | | |
|-----------|--|-----------------------|-------------|
| REV | DESCRIPTION | DATE | APPROVED |
| P | REDRAWN & REDESIGNED. UPDATED TO EATON FORMAT & DIMENSION STYLE. | 2015-01-08 SDR/DHS | 0106154-ECO |



MIN. BEND RADIUS

METRIC

5. ALL HOSE ATTRIBUTES ARE METRIC [ENGLISH].
4. TEMPERATURE RANGE: -73°C TO +260°C [-100°F TO +500°F].
3. EXAMPLE OF IDENTIFICATION: (NO LAYLINE)
 - a) STAINLESS STEEL BRAID
 - b) WHITE TUBE STOCK
2. APPLICATION:
HOT AIR, STEAM AND MOST CHEMICAL APPLICATIONS
1. CONSTRUCTION:
PTFE TUBE, TWO STAINLESS STEEL WIRE BRAIDS REINFORCEMENT

| | | | |
|--|--|--|------------------------|
| DRAWN S. REVANKAR | | EATON INDUSTRIAL SECTOR HYDRAULICS GROUP, FLUID CONVEYANCE PRODUCTS, MAUMEE, OHIO U.S.A. | |
| CHECKED D. SHEWALE | | | |
| APPROVED G. CLARK | | DRAWING TITLE HOSE MEDIUM PRESSURE, PTFE TUBE | |
| RELEASE DATE 2015-01-08 | | SIZE A3 | DRAWING NUMBER 2808 |
| 0106154-ECO | | SCALE NONE | DIST U |
| THIRD ANGLE PROJECTION | | CAGE CODE 01276 | SHEET 1 |
| | | REV P | |
| <small>EATON CORPORATION - CONFIDENTIAL AND PROPRIETARY NOTICE TO PERSONS RECEIVING THIS DOCUMENT AND/OR TECHNICAL INFORMATION THIS DOCUMENT, INCLUDING THE DRAWING AND INFORMATION CONTAINED THEREON, IS CONFIDENTIAL AND IS THE EXCLUSIVE PROPERTY OF EATON CORPORATION, AND IS MERELY ON LOAN AND SUBJECT TO RECALL BY EATON AT ANY TIME. BY TAKING POSSESSION OF THIS DOCUMENT, THE RECIPIENT ACKNOWLEDGES AND AGREES THAT THIS DOCUMENT CANNOT BE USED IN ANY MANNER ADVERSE TO THE INTERESTS OF EATON, AND THAT NO PORTION OF THIS DOCUMENT MAY BE COPIED OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF EATON. IN THE CASE OF CONFLICTING CONTRACTUAL PROVISIONS, THIS NOTICE SHALL GOVERN THE STATUS OF THIS DOCUMENT. © 2009 Eaton Corporation - All Rights Reserved.</small> | | | |

