


THE REPRODUCTION, DISTRIBUTION AND UTILIZATION OF THIS DOCUMENT, AS WELL AS THE COMMUNICATION OF ITS CONTENTS TO OTHERS WITHOUT EXPLICIT AUTHORIZATION IS PROHIBITED. OFFENDERS WILL BE HELD LIABLE FOR THE PAYMENT OF DAMAGES. ALL RIGHTS RESERVED IN THE EVENT OF THE GRANT OF A PATENT, UTILITY MODEL OR DESIGN. (PER ISO 15016)

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



FN  
 REV.  
 SH.  
 FJ5984-1012S  
 DWG. NO.

INCH

FJ5984-1012S	FJ4984-1012S	1F40106-12		
AEROQUIP PART NUMBER	① NIPPLE ASSEMBLY	② O'RING (2 REQUIRED)		
LIST OF MATERIALS				
ITEM NO.	MATERIAL	<small>DRAWN</small> M. HILVERS <small>CHECKED</small> J. BAHNSEN <small>APPROVED</small> J. BAHNSEN <small>RELEASE DATE</small> 1999-09-24 <small>EN-F19203 DP-5801</small> <small>THIRD ANGLE PROJECTION</small> 		
1	STEEL	<small>SCALE</small> 2/1 <small>DIST</small> U <small>CAGE CODE</small> 01276 <small>SHEET NO</small> <b>Danfoss</b> FLUID CONVEYANCE DIVISION <small>DRAWING TITLE</small> FITTING ASSEMBLY FEMALE O'RING PILOT (SHORT), GH134 HOSE		
2	HNBR			
		<small>SIZE</small> A2	<small>DRAWING NUMBER</small> FJ5984-1012S	<small>REV</small>

1. PROCESS AS FOLLOWS:  
LUBRICATE O'RINGS, AND ASSEMBLE ON NIPPLE AS SHOWN.

